Published 1995

Pedological Perspectives in Archaeological Research

Related Society Publications

Soil and Water Science: Key to Understanding Our Global Environment
SSSA Special Publication Number 41

Spatial Variabilities of Soils and Landforms
SSSA Special Publication Number 28

Whole Regolith Pedology
SSSA Special Publication Number 34

For information on these titles, please contact the SSSA Headquarters Office; Attn.: Marketing; 677 South Segoe Road; Madison, WI 53711-1086. Phone: (608) 273-8080. Fax: (608) 273-2021

Pedological Perspectives in Archaeological Research

Proceedings of two symposia sponsored by Division S-5 of the Soil Science Society of America in Cincinnati, OH, 8 Nov.1993.

Editors
Mary E. Collins
Brian J. Carter
Bruce G. Gladfelter
Randal J. Southard

SSSA Special Publication Number 44

Soil Science Society of America, Inc.
Madison, Wisconsin, USA
1995

Cover Design: Patricia Scullion

Soil Science Society of America, Inc.
677 South Segoe Road, Madison, WI 53711 USA

Library of Congress Cataloging-in-Publication Data
Cataloging-in-Publication Data Pending

Printed in the United States of America

CONTENTS

FOREWORD

Because ancient populations lived on and used the soil, there is a natural relationship between soil science and archaeology Within soil science, pedology is the primary discipline dealing with soil characteristics and distribution on the landscape. As such, pedologists can provide useful information to archaeologists such as location and depth of buried surfaces, evidence of soil disturbances, and relative ages of modern and buried soils. Chemical and physical characteristics of soils at archaeological sites may suggest environmental conditions during the period of habitation as well as agricultural and cultural practices used by the people inhabiting the site; the reverse also is true. Absolute or relative ages of buried artifacts enable pedologists to deduce rates of soil development. In addition, knowledge of soil management practices used by ancient populations can help soil scientists understand how soils respond to long-term use and manipulation and can help in designing management systems that will conserve soils for future generations.

This special publication provides an overview of techniques and experiences from the application of pedology to archaeological research. Both archaeologists and pedologists should find the publication useful and, hopefully, it will lead to further cooperation between the two disciplines.

DAVID E. KISSEL, *President*
Soil Science Society of America

PREFACE

The purpose of this special publication is to disseminate knowledge describing interactions of pedologists and archaeologists that has been used to unravel some of life's mysteries. It was written by archaeologists and pedologists working with archaeology, but many other disciplines should find this publication useful as well. This special publication will provide pedologists and archaeologists and others involved with natural resources with some of the latest techniques described that may be useful in their work.

The chapters in this publication were presented at a symposium at the annual meeting of the American Society of Agronomy that was held in Cincinnati, OH, in 1993. One of the objectives of the symposium was to give pedologists and archaeologists an opportunity to demonstrate how pedology and archaeology interaction can be used to increase the efficiency and quality of archaeological and pedological research. Speakers were asked to describe and illustrate relationships of soil genesis, stratigraphy and landscapes, and the implications in pedoarchaeological research. Specific case studies were used to provide examples of the use of pedology in archaeological research and the interactions of pedologists and archaeologists.

Techniques described in this special publication are a few examples of what is being done in pedoarchaeological research. It is hoped that this publication will encourage more interaction of pedologists and archaeologists and result in the use of new techniques in pedoarchaeological research.

My thanks to the authors who participated in the symposium and who wrote the chapters for this publication. These authors have shown us the importance of the interaction of two disciplines in producing quality research.

The organizers of the symposium would like to express gratitude to the S-880 Soils-Geomorphology Committee; without their support the symposium would not have been possible.

Mary E. Collins, *editor*
Soil and Water Science Department
University of Florida
Gainesvill, Florida

CONTRIBUTORS

Kathleen E. Callum	Institute for Quaternary Sciences, University of Maine, Orono, presently GEOARCH, RD #2 Box 2429A, Brandon, VT 05733
D. L. Cremeens	Senior Staff Soil Scientist, GAI Consultants, Inc., 570 Beatty Road, Monroeville, PA 15146
J. E. Foss	Professor of Plant and Soil Science, University of Tennessee, Department of Plant and Soil Science, Knoxville, TN 37901
Douglas S. Frink	Principle Investigating Archaeologist, Archaeology Consulting Team, Inc., P.O. Box 145, Essex Junction, VT 05453
John P. Hart	Director of Cultural Resource Survey Program, Anthropological Survey, New York State Museum, 3122 Cultural Education Center, Albany, NY 12230
John S. Jacob	Research Associate, Department of Soil and Crop Science, Texas A&M University; Presently Research Fellow, Environmental Institute of Houston, University of Houston, Clear Lake. 2700 Bay Area Boulevard, P.O. Box 540, Houston, TX 77058
Jonathan P. Kerr	Cultural Resource Analysts, Lexington, KY
R. J. Lewis	Professor of Plant and Soil Science, 1124 Burton Road, University of Tennessee, Knoxville, TN 37916-8110
H. Curtis Monger	Assistant Professor of Pedology, Box 30003 Department 3Q, Department of Agronomy and Horticulture, New Mexico State University, Las Cruces, NM 88003-8003
Joseph Schuldenrein	President, Geoarcheology Research Associates, 5912 Spencer Avenue, Riverdale, NY 10471
Cynthia A. Stiles	Research Assocaite, Department of Plant and Soil Science, University of Tennessee, Knoxville, TN 37901
M. E. Timpson	Post Doctoral Researcher, Oak Ridge National Laboratory, Oak Ridge, TN. Presently Adjunct Assistant Professor for the Quaternary Studies Program, Northern Arizona University, 2515 North Fort Valley Road, Apartment 13, Flagstaff, AZ 86001

Conversion Factors for SI and non-SI Units

Conversion Factors for SI and non-SI Units

To convert Column 1 into Column 2, multiply by	Column 1 SI Unit	Column 2 non-SI Unit	To convert Column 2 into Column 1, multiply by
		Length	
0.621	kilometer, km (10^3 m)	mile, mi	1.609
1.094	meter, m	yard, yd	0.914
3.28	meter, m	foot, ft	0.304
1.0	micrometer, μm (10^{-6} m)	micron, μ	1.0
3.94×10^{-2}	millimeter, mm (10^{-3} m)	inch, in	25.4
10	nanometer, nm (10^{-9} m)	Angstrom, Å	0.1
		Area	
2.47	hectare, ha	acre	0.405
247	square kilometer, km^2 (10^3 m)^2	acre	4.05×10^{-3}
0.386	square kilometer, km^2 (10^3 m)^2	square mile, mi^2	2.590
2.47×10^{-4}	square meter, m^2	acre	4.05×10^3
10.76	square meter, m^2	square foot, ft^2	9.29×10^{-2}
1.55×10^{-3}	square millimeter, mm^2 (10^{-3} m)^2	square inch, in^2	645
		Volume	
9.73×10^{-3}	cubic meter, m^3	acre-inch	102.8
35.3	cubic meter, m^3	cubic foot, ft^3	2.83×10^{-2}
6.10×10^4	cubic meter, m^3	cubic inch, in^3	1.64×10^{-5}
2.84×10^{-2}	liter, L (10^{-3} m^3)	bushel, bu	35.24
1.057	liter, L (10^{-3} m^3)	quart (liquid), qt	0.946
3.53×10^{-2}	liter, L (10^{-3} m^3)	cubic foot, ft^3	28.3
0.265	liter, L (10^{-3} m^3)	gallon	3.78
33.78	liter, L (10^{-3} m^3)	ounce (fluid), oz	2.96×10^{-2}
2.11	liter, L (10^{-3} m^3)	pint (fluid), pt	0.473

Mass			
2.20×10^{-3}	gram, g (10^{-3} kg)	pound, lb	454
3.52×10^{-2}	gram, g (10^{-3} kg)	ounce (avdp), oz	28.4
2.205	kilogram, kg	pound, lb	0.454
0.01	kilogram, kg	quintal (metric), q	100
1.10×10^{-3}	kilogram, kg	ton (2000 lb), ton	907
1.102	megagram, Mg (tonne)	ton (U.S.), ton	0.907
1.102	tonne, t	ton (U.S.), ton	0.907
Yield and Rate			
0.893	kilogram per hectare, kg ha^{-1}	pound per acre, lb $acre^{-1}$	1.12
7.77×10^{-2}	kilogram per cubic meter, kg m^{-3}	pound per bushel, lb bu^{-1}	12.87
1.49×10^{-2}	kilogram per hectare, kg ha^{-1}	bushel per acre, 60 lb	67.19
1.59×10^{-2}	kilogram per hectare, kg ha^{-1}	bushel per acre, 56 lb	62.71
1.86×10^{-2}	kilogram per hectare, kg ha^{-1}	bushel per acre, 48 lb	53.75
0.107	liter per hectare, L ha^{-1}	gallon per acre	9.35
893	tonnes per hectare, t ha^{-1}	pound per acre, lb $acre^{-1}$	1.12×10^{-3}
893	megagram per hectare, Mg ha^{-1}	pound per acre, lb $acre^{-1}$	1.12×10^{-3}
0.446	megagram per hectare, Mg ha^{-1}	ton (2000 lb) per acre, ton $acre^{-1}$	2.24
2.24	meter per second, m s^{-1}	mile per hour	0.447
Specific Surface			
10	square meter per kilogram, m^2 kg^{-1}	square centimeter per gram, cm^2 g^{-1}	0.1
1000	square meter per kilogram, m^2 kg^{-1}	square millimeter per gram, mm^2 g^{-1}	0.001
Pressure			
9.90	megapascal, MPa (10^6 Pa)	atmosphere	0.101
10	megapascal, MPa (10^6 Pa)	bar	0.1
1.00	megagram per cubic meter, Mg m^{-3}	gram per cubic centimeter, g cm^{-3}	1.00
2.09×10^{-2}	pascal, Pa	pound per square foot, lb ft^{-2}	47.9
1.45×10^{-4}	pascal, Pa	pound per square inch, lb in^{-2}	6.90×10^3

(continued on next page)

Conversion Factors for SI and non-SI Units

To convert Column 1 into Column 2, multiply by	Column 1 SI Unit	Column 2 non-SI Unit	To convert Column 2 into Column 1, multiply by
		Temperature	
1.00 (K − 273)	Kelvin, K	Celsius, °C	1.00 (°C + 273)
(9/5 °C) + 32	Celsius, °C	Fahrenheit, °F	5/9 (°F − 32)
		Energy, Work, Quantity of Heat	
9.52×10^{-4}	joule, J	British thermal unit, Btu	1.05×10^{3}
0.239	joule, J	calorie, cal	4.19
10^{7}	joule, J	erg	10^{-7}
0.735	joule, J	foot-pound	1.36
2.387×10^{-5}	joule per square meter, J m^{-2}	calorie per square centimeter (langley)	4.19×10^{4}
10^{5}	newton, N	dyne	10^{-5}
1.43×10^{-3}	watt per square meter, W m^{-2}	calorie per square centimeter minute (irradiance), cal cm^{-2} min^{-1}	698
		Transpiration and Photosynthesis	
3.60×10^{-2}	milligram per square meter second, mg m^{-2} s^{-1}	gram per square decimeter hour, g dm^{-2} h^{-1}	27.8
5.56×10^{-3}	milligram (H_2O) per square meter second, mg m^{-2} s^{-1}	micromole (H_2O) per square centimeter second, μmol cm^{-2} s^{-1}	180
10^{-4}	milligram per square meter second, mg m^{-2} s^{-1}	milligram per square centimeter second, mg cm^{-2} s^{-1}	10^{4}
35.97	milligram per square meter second, mg m^{-2} s^{-1}	milligram per square decimeter hour, mg dm^{-2} h^{-1}	2.78×10^{-2}
		Plane Angle	
57.3	radian, rad	degrees (angle), °	1.75×10^{-2}

Electrical Conductivity, Electricity, and Magnetism

10	siemen per meter, S m^{-1}	millimho per centimeter, mmho cm^{-1}	0.1
10^4	tesla, T	gauss, G	10^{-4}

Water Measurement

9.73×10^{-3}	cubic meter, m^3	acre-inches, acre-in	102.8
9.81×10^{-3}	cubic meter per hour, $m^3\ h^{-1}$	cubic feet per second, $ft^3\ s^{-1}$	101.9
4.40	cubic meter per hour, $m^3\ h^{-1}$	U.S. gallons per minute, gal min^{-1}	0.227
8.11	hectare-meters, ha-m	acre-feet, acre-ft	0.123
97.28	hectare-meters, ha-m	acre-inches, acre-in	1.03×10^{-2}
8.1×10^{-2}	hectare-centimeters, ha-cm	acre-feet, acre-ft	12.33

Concentrations

1	centimole per kilogram, cmol kg^{-1}	milliequivalents per 100 grams, meq 100 g^{-1}	1
0.1	gram per kilogram, g kg^{-1}	percent, %	10
1	milligram per kilogram, mg kg^{-1}	parts per million, ppm	1

Radioactivity

2.7×10^{-11}	becquerel, Bq	curie, Ci	3.7×10^{10}
2.7×10^{-2}	becquerel per kilogram, Bq kg^{-1}	picocurie per gram, pCi g^{-1}	37
100	gray, Gy (absorbed dose)	rad, rd	0.01
100	sievert, Sv (equivalent dose)	rem (roentgen equivalent man)	0.01

Plant Nutrient Conversion

	Elemental	*Oxide*	
2.29	P	P_2O_5	0.437
1.20	K	K_2O	0.830
1.39	Ca	CaO	0.715
1.66	Mg	MgO	0.602